



# SplitFace CMU



The molds can be configured in a variety of setups to meet project requirements.



For walls exposed to the weather, Integral Water Repellents in both the block and mortar are key ingredients for moisture resistant walls. New features incorporated into the top of the cross webs called Water Control Technology (WCT) should be specified and detailed on the drawings for all single wythe applications. WCT diverts moisture that gets past the exterior portion of the block down into the core of the CMU where it can be removed from the wall thru the Flashing and Weep system.

There are many options for split face patterns. The typical split face block will have an 8" x 16" nominal face, but many other face dimensions are available. In addition, split face block can also come in patterns such as Split Rib-2, Split Rib Wide-4, Split Rib-4 and Split Rib-8 to name a few.

 **Barnes & Cone**  
ARCHITECTURAL MASONRY

www.BarnesAndCone.com  
315.437.0305

# SplitFace CMU

For single Wythe applications. Korfil U-Shaped insulation inserts, Hi-R or Hi-R H Split face units increase the Thermal performance of the wall system.

The available Colors include a selection of Earthtone units along with White and Pastel units. please contact our sales department to receive a current sample box of colors. Specifying a color is critical for us to provide owner satisfaction.

## Colors




Colors are shown in Split Face for reference. They are also available in Decro Face, Ground Face & Smooth Face Textures. Please request physical samples for final color selections as Colors displayed on this sheet may differ from actual samples due to printing reproduction limitations, computer monitors and variances in production runs.



**Barnes & Cone**  
ARCHITECTURAL MASONRY  
[www.barnesandcone.com](http://www.barnesandcone.com)  
(315) 437-0305



Coatings are recommended to be applied to moisture exposed walls of masonry. Monopole's Aquaseal ME-12 can be specified and installed over the mortar and CMU, after the walls have been cleaned and the mortar cured.




**Barnes & Cone**  
ARCHITECTURAL MASONRY


[www.BarnesAndCone.com](http://www.BarnesAndCone.com)  
315.437.0305

# SPLIT FACE-SHAPES & SIZES

## STYLES



## CORNERS



## NOTE


A variety of block configurations are possible.

Split Face blocks also available with Decro Face finish on interior.


Block configurations can vary depending upon the project requirements.

Please contact our sales department for the configuration that best suits the project requirements.


## STRUCTURAL WIDTHS



## BLOCK CONFIGURATIONS



## SPECIAL SHAPES & SIZES



## ADDITIONAL NOTES

Units will contain Integral Water Repellents, unless otherwise specified.

Water Control Technology (WCT) will be incorporated into all 8", 10" and 12" Units, except for Hi-R & Hi-R H insulated masonry units. Those units are also designed to divert any potential moisture by their standard configuration.